



PRESS CONTAINERS





PRESS CONTAINERS (PC)

Press containers of type PC serve for collecting and compacting of residual materials and recyclable raw materials by a static compactor. This allows optimum utilization of the permissible load capacity of transport vehicles and with this, cost-effective transport.

They comply with all requirements of the applicable standards & directives. Their optimized welded steel structure provides high stability with the least possible weight.

They are compatible with L&M compacting systems type KBW, STV or SVS and can also be designed for the operation with other manufacturers' systems.

We are offering you a wide range of additional equipment. Among others there are:

- Several locking variants for the filling opening (movable tubes, movable grids, or bulkhead)
- Additional covering hood or covering tarpaulin for closing of the filling opening
- Auxiliary discharge units (with rope, grid, blade or strongly conical design)
- Swinging retaining claws in the filling opening
- Lifting roof with hinges on the sides and actuated by manual pump

- **Water drain with ball valve or screwed connection**
- **Liquid-tight design (with rubber sealings and toggle latch or central locking mechanism on the discharge door)**

Further additional equipment is available on request.



CONTAINER TRAVERSING SYSTEM



ROLLERS MADE OF POLYAMIDE

These rollers are easier to replace if they show signs of uneven wear. This means that only the worn part needs to be replaced, which makes maintenance easier




REMOVABLE HOOK





TECHNICAL SPECIFICATIONS

PRESS CONTAINERS (PC)



TECHNICAL SPECIFICATIONS

| MACHINE TYPE | PC 4,500 | PC 5,000 | PC 5,300 | PC 5,600 | PC 6,000 | PC 6,500 |
|-----------------------------------|----------|----------|----------|----------|----------|----------|
| Container capacity m ³ | 22 | 25 | 26 | 28 | 30 | 32 |
| Clear container length (L1) mm | 4,500 | 5,000 | 5,270 | 5,600 | 6,000 | 6,500 |
| Maximum length (L2) mm | 4,950 | 5,450 | 5,720 | 6,050 | 6,450 | 6,950 |
| Maximum height (L3) mm | 2,600 | | | | | |
| Maximum width (L4) mm | 2,500 | | | | | |
| Net weight kg | 2,850 | 3,040 | 3,120 | 3,250 | 3,350 | 3,540 |
| Permissible total weight kg | 15,000 | | | | | |

COMMENTS

- All details are subject to change
- Technical changes reserved
- All details refer to the series products
- Further types of construction sizes are available on request



CONTACT

WE ARE AT YOUR SERVICE. GET IN TOUCH WITH US.

YOUR CONTACT TO L&M.



**LUDDEN & MENNEKES
ENTSORGUNGS-SYSTEME GMBH**
**HEADQUARTER
MEPPEN**

Essener Straße 13
49716 Meppen, Germany
+49 5932 7215 0
info@ludden.de
www.ludden.de



**LUDDEN & MENNEKES
ENTSORGUNGS-SYSTEME GMBH**
**DÖRPEN
SITE**

Industriestraße 14
26892 Dörpen, Germany
+49 4963 9170 11
info@ludden.de
www.ludden.de



**LM VERMIETUNGS GMBH
RENTAL COMPANY**

Essener Straße 13
49716 Meppen, Germany
+49 5932 7215 0
info@ludden.de
www.ludden.de



**LM NL B.V.
RENTAL COMPANY
FOR THE BENELUX COUNTRIES**

De Bukakkers 20
7811 KZ Emmen, Netherlands
info@ludden.de



**LM RECYCLING TECHNOLOGY
ROMANIA S.R.L.
DISTRIBUTION COMPANY
ROMANIA**

Strada Gheorghe Țițeica Nr 121C
Etaj 3 Sectorul 2
020295 Bucharest, Romania
+40 741 627 846
www.ludden.ro



**LM HOLDING
GMBH & CO. KG
HEADQUARTER
HAREN**

Thyssenstraße 8
49733 Haren, Germany
+49 5932 99520 20
info@lm-group.com
www.lm-group.com

LM GROUP

**LM HOLDING
GMBH & CO. KG
MEPPEN
SITE**

Essener Straße 13
49716 Meppen, Germany
+49 5932 7215 0
info@lm-group.com
www.lm-group.com

LM GROUP



04/2016